

**CERTIFICATION FORM:  
Free Authorized Generic for EpiPen® (epinephrine injection, USP)  
Auto-Injector Authorized Generic for *EpiPen4Schools*® Program**

The school and/or school district identified below (the "School") hereby acknowledges and agrees that the Free Authorized Generic for EpiPen® (epinephrine injection, USP) Auto-Injector Authorized Generic for *EpiPen4Schools*® Program made available by Mylan ("Mylan") to the School is because it is a school and is conditioned upon the undersigned making this certification to Mylan.

The School represents and warrants to Mylan that:

- (i) all of the information provided in this certification is true, complete and accurate;
- (ii) the School will only receive Authorized Generic for EpiPen® (epinephrine injection, USP) 0.3mg and Authorized Generic for EpiPen Jr® (epinephrine injection, USP) 0.15mg Auto-Injectors in accordance with all applicable laws for use by the School, and the School has presented a valid prescription for the product;
- (iii) the School is an entity whose primary purpose is education for students in grades K through 12 that is licensed as an educational facility under all applicable laws;
- (iv) the School shall make best efforts to provide appropriate product training to any School personnel who may administer an Authorized Generic for EpiPen® or Authorized Generic for EpiPen Jr® Auto-Injector;
- (v) the person signing this certification on behalf of the School has the requisite authority to make this certification on behalf of the School identified below;
- (vi) such Authorized Generic for EpiPen® Auto-Injectors received by the School shall be for its own use and the School shall not sell or transfer any such Authorized Generic for EpiPen® Auto-Injectors received pursuant to the Free Authorized Generic for EpiPen® Auto-Injector Authorized Generic for *EpiPen4Schools*® Program to a non-school third party, unless the prior written approval of Mylan, in its sole discretion, is obtained;
- (vii) any transfer of any quantity of Authorized Generic for EpiPen® Auto-Injectors received pursuant to the Free Authorized Generic for EpiPen® Auto-Injector Authorized Generic for *EpiPen4Schools*® Program available to schools in violation of this certification will be considered a breach of this certification allowing Mylan to prohibit the School from receiving Authorized Generic for EpiPen® Auto-Injectors pursuant to the Free Authorized Generic for EpiPen® Auto-Injector Authorized Generic for *EpiPen4Schools*® Program available to schools;
- (viii) neither the School, nor any healthcare professional associated with or providing medical services on behalf of the School, will bill any patient or any third-party payer/government program for any free Authorized Generic for EpiPen® or Authorized Generic for EpiPen Jr® Auto-Injector administered to any patient; and
- (ix) the School agrees to Mylan's use of the School's name for promotional purposes.

**Please input the number of Authorized Generic for EpiPen 2-Pak® and/or Authorized Generic for EpiPen Jr 2-Pak® cartons below.**

Authorized Schools are eligible to receive four Authorized Generic for EpiPen® Auto-Injectors in the form of two Authorized Generic for EpiPen 2-Pak® cartons; or two Authorized Generic for EpiPen Jr 2-Pak® cartons; or one of each 2-Pak cartons. Total quantity ordered must be no more than two 2-Pak cartons.

<b>Product/Carton Type</b>	<b>Quantity Ordered*</b>	<b>Price</b>
Authorized Generic for EpiPen 2-Pak® Cartons		FREE
Authorized Generic for EpiPen Jr 2-Pak® Cartons		FREE
Total Quantity Ordered *must be no more than two 2-Pak		FREE
EpiLocker™ (limit one per school)		FREE

Please check if you would like to receive periodic updates about this program or Authorized Generic for EpiPen® Auto-Injector.

\*Please note there are two auto-injectors per Authorized Generic for EpiPen 2-Pak® or Authorized Generic for EpiPen Jr 2-Pak®. Example: If you wish to order two Authorized Generic for EpiPen® Auto-Injectors and two Authorized Generic for EpiPen Jr® Auto-Injectors, put the number “1” in the Quantity Ordered box next to Authorized Generic for EpiPen 2-Pak® and “1” in the Quantity Ordered box next to Authorized Generic for EpiPen Jr 2-Pak®. If you wish to order four Authorized Generic for EpiPen Jr® Auto-Injectors, put the number “2” in the Quantity Ordered box next to Authorized Generic for EpiPen Jr 2-Pak® and 0 (zero) in the Quantity Ordered box next to Authorized Generic for EpiPen 2-Pak®.

† **ORDERING FOR MULTIPLE SCHOOLS:** If you are ordering for multiple Schools within a single school district, you may order up to two 2-Pak cartons per school. Please provide a list of all of the Schools for which you are ordering product if ordering for multiple Schools, including the name and address of each School. For example, if you are ordering two Authorized Generic for EpiPen Jr 2-Pak® cartons for each of 10 Schools, you should enter 20 in the Quantity Ordered column next to Authorized Generic for EpiPen Jr 2-Pak® cartons. Under this scenario, your total quantity ordered cannot exceed the number of Schools multiplied by 2.

If the terms and conditions provided in this certification are amended, modified or altered in any way, it will be considered null and void.

School/School District Name:	
School Address:	
City/State/Zip:	
School Phone:	
Authorized School Signatory Name:	
Authorized School Signatory Title:	
Authorized School Signatory Email:	
Signature:	Date:

**Please fax the completed Certification Form and a copy of a valid Authorized Generic for EpiPen® Auto-Injector prescription to BioRidge Pharma, LLC  
Attn: Kristina Paich Fax: 973-718-4328 or email scan to: [info@bioridgepharma.com](mailto:info@bioridgepharma.com)  
Phone: 973-845-7600**

**Important Safety Information**

Use Epinephrine Injection, USP 0.3 mg or Epinephrine Injection, USP 0.15 mg Auto-Injectors right away when you have an allergic emergency (anaphylaxis). **Get emergency medical help right away.** You may need further medical attention. Only a healthcare professional should give additional doses of epinephrine if you need more than two injections for a single anaphylactic episode. Epinephrine Injection, USP Auto-Injector should **only** be injected into the middle of your outer thigh (upper leg), through clothing if necessary. Do not inject into your veins, buttocks, fingers, toes, hands or feet. Hold the leg of young children firmly in place before and during injection to prevent injuries. In case of accidental injection, please seek immediate medical treatment.

Rarely, patients who have used Epinephrine Injection, USP Auto-Injector may develop an infection at the injection site within a few days. Some of these infections can be serious. Call your healthcare professional right away if you have any of the following at an injection site: redness that does not go away, swelling, tenderness, or the area feels warm to the touch.

Tell your healthcare professional about all of your medical conditions, especially if you have asthma, a history of depression, thyroid problems, Parkinson’s disease, diabetes, high blood pressure or heart problems, have any other medical conditions, are pregnant or plan to become pregnant, or are breastfeeding or plan to breastfeed. Be sure to also tell your healthcare professional all the medicines you take, especially medicines for asthma. **If you have certain medical conditions, or take certain medicines, your condition may get worse or you may have longer lasting side effects when you use Epinephrine Injection, USP Auto-Injector.**

Common side effects include fast, irregular or “pounding” heartbeat, sweating, nausea or vomiting, breathing problems, paleness, dizziness, weakness, shakiness, headache, feelings of over excitement, nervousness or

anxiety. These side effects usually go away quickly if you lie down and rest. **Tell your healthcare professional if you have any side effect that bothers you or that does not go away.**

## Indications

Epinephrine Injection, USP Auto-Injectors are for the emergency treatment of life-threatening allergic reactions (anaphylaxis) caused by allergens, exercise, or unknown triggers; and for people who are at increased risk for these reactions. Epinephrine Injection, USP Auto-Injectors are intended for immediate administration as emergency supportive therapy only. Seek immediate emergency medical help right away.

Please see the full [Prescribing Information](#) and [Patient Information](#).

For additional information, please contact us at 800-395-3376.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088.

EpiPen<sup>®</sup>, EpiPen Jr<sup>®</sup>, EpiPen 2-Pak<sup>®</sup>, EpiPen Jr 2-Pak<sup>®</sup>, *EpiPen4Schools*<sup>®</sup> and the Mylan logo are registered trademarks of Mylan Inc. EpiLocker<sup>™</sup> is a trademark owned by Mylan Inc.

© 2017 Mylan Specialty L.P. All rights reserved.